

Extending *oligo* with *SNPchip*

Robert Scharpf

April 21, 2009

Introduction

This vignette describes a pipeline for preprocessing and visualizing SNP-level summaries using the packages *oligo* and *SNPchip*. We use a set of unprocessed Affymetrix files (CEL files) available as experimental data packages on Bioconductor. A minimal set of commands to perform pre-processing with *oligo* are provided here, though one should consult the *oligo* vignette for additional information. An object of the processed data is provided with this package to reduce the time of computation – the code chunks for the preprocessing steps are not evaluated in the vignette. An example of using *oligo* to process a batch of 209 Affymetrix 100k CEL files and *VanillaICE* to identify regions of alterations are provided in the `hapmap100k` vignette in the directory `inst/testing` of the *VanillaICE* package. The `hapmap100k` vignette is not reproducible as it depends on access to the 209 CEL hapmap CEL files that are not provided with the *VanillaICE* package, but may be useful as a guideline when performing your own analyses. Comparable vignettes for `hapmapAffy500k`, `hapmapAffy5.0`, `hapmapAffy6.0`, and Illumina will also be added to *VanillaICE* in the near future.

An approach for estimating copy number using the package *oligo* is not yet available. A simple ad-hoc approach to estimate copy number is to assume that the allele A and B summary statistics from CRLMM are proportional to copy number, but these do not generally produce very reliable estimates. A more careful treatment of copy number in *oligo* is forthcoming – this vignette is largely a placeholder.

1 Creating an instance of `oligoSnpSet`

The *oligo* vignette creates an instance of `SnpCallSetPlus`, `crlmmOut`, from the call to the function `crlmm`. For purposes of illustration, I subset the object to only include SNPs on chromosome 1. I also took the liberty of adding chromosome and physical position to the `featureData` slot. This object can be loaded by

```
> library(SNPchip)
> data(crlmmOut)
> class(crlmmOut)

[1] "SnpCallSetPlus"
attr(,"package")
[1] "oligoClasses"
```

The elements in the `assayData` for instances of `SnpCallSetPlus` is dependent on the Affymetrix platform.

```
> annotation(crlmmOut)

[1] "pd.mapping50k.xba240"
```

```

> ls(assayData(crlmmOut))

[1] "antisenseThetaA" "antisenseThetaB" "calls"
[4] "callsConfidence" "senseThetaA"      "senseThetaB"

> callset <- crlmmOut

```

1.1 Estimating copy number

Copy number estimates are not currently available in CRLMM. In my experience, ad-hoc approaches for estimating copy number from the CRLMM-processed data have not been that successful.

2 Combining objects that use different annotation packages

Here we illustrate how one may combine two objects of class `SnpCallSetPlus` that use different annotation packages: e.g., `pd.mapping50k.hind240` and `pd.mapping50k.xba240`. Following the *oligo* vignette, I created `hind` and `xba` instances of `SnpCallSetPlus`. The following code is not evaluated due to time constraints.

```

> library("oligo")
> library("hapmap100kxba")
> pathCelFiles <- system.file("celFiles", package = "hapmap100kxba")
> fullFileNames <- list.celfiles(path = pathCelFiles,
+   full.names = TRUE)
> aboutSamples <- data.frame(gender = c("female",
+   "female", "male"))
> rownames(aboutSamples) <- basename(fullFileNames)
> aboutVars <- data.frame(labelDescription = "male/female")
> rownames(aboutVars) <- "gender"
> pd <- new("AnnotatedDataFrame", data = aboutSamples,
+   varMetadata = aboutVars)
> xba <- justCRLMM(fullFileNames, phenoData = pd,
+   verbose = FALSE)
> library("hapmap100khind")
> pathCelFiles <- system.file("celFiles", package = "hapmap100khind")
> fullFileNames <- list.celfiles(path = pathCelFiles,
+   full.names = TRUE)
> aboutSamples <- data.frame(gender = c("female",
+   "female", "male"))
> rownames(aboutSamples) <- basename(fullFileNames)
> aboutVars <- data.frame(labelDescription = "male/female")
> rownames(aboutVars) <- "gender"
> pd <- new("AnnotatedDataFrame", data = aboutSamples,
+   varMetadata = aboutVars)
> hind <- justCRLMM(fullFileNames, phenoData = pd,
+   verbose = FALSE)

```

To combine into one object, simply

```

> callset <- combine(xba, hind)

```

3 Session Information

- R version 2.9.0 (2009-04-17), x86_64-unknown-linux-gnu
- Locale: LC_CTYPE=en_US;LC_NUMERIC=C;LC_TIME=en_US;LC_COLLATE=en_US;LC_MONETARY=C;LC_MESSAGES=en_US;
- Base packages: base, datasets, graphics, grDevices, methods, stats, tools, utils
- Other packages: Biobase 2.4.0, oligoClasses 1.6.0, SNPchip 1.8.0
- Loaded via a namespace (and not attached): Biostrings 2.12.0, IRanges 1.2.0